



LED BAR LINE


All In One Android Series

Create impressive space for all target audience

Indoor


Promote your corporate image with such detail and excellent visibility

It is inevitable to experience confusion in areas with intensive use. This situation is one of the most important factors that reduce efficiency. In order to avoid such situations, you can systematize your working areas with meeting room screens. You can provide the necessary communication and order in the easiest way thanks to the positioning you will make in the appropriate areas.




Elegant Design


Android


Touch


Led Light


Camera


Wifi

Present strikingly messaging with new generation digital solutions

It includes the Android operating system and many hardware. At the same time, it has an easy and efficient use with its touch screen function.

Built in Wi-Fi

As well as having an Ethernet and LAN ports you can wirelessly connect to the internet thanks to the built in Wi-Fi.

High Brightness and Vibrant Colors

High brightness value in the range of 500-750nit to attract more attention to your contents and clear view from every point.

Optional Touch Technology

The most popular interactive applications durable and reliable touch technology for ease of use.

**Front Protection Glass**

It is manufactured from glass that is reinforced by chemical processes and is resistant to very high piercing. Provides additional protection against physical impact during use.

**Branding and Color Applications**

Provides you to highlight your corporate identity with unique color and logo application.

Long Life Industrial Display

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

PANEL	BB101A-EN-L	BB133A-EN-L	BB156A-EN-L
Panel Size	10.1 "	13.3 "	15.6 "
Screen Mode	Normally Black, IPS	Normally Black, IPS	Normally Black, IPS
Resolution	1920x1080	1920*1080	1920*1080
Active Display Area(mm)	273.7(W)x189.7(H)x30.2mm(D)	310(W)x198(H)30mm(D)	102(W)x253(H)x30mm(D)
Brightness (Typ.)	250cd/m2	250cd/m2	250cd/m2
Contrast	800:1 (Typ.) (TM)	800:1 (Typ.) (TM)	800:1 (Typ.) (TM)
Viewing Angle (H x V)	85/85/85/85(L/R/U/D)	85/85/85/85(L/R/U/D)	85/85/85/85(L/R/U/D)
Aspect Ratio	16:9	16:9	16:9
Frame Design	Oval	Oval	Oval
Applications	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical

PANEL CONNECTIVITY

Headphone	3.5mm earphone + microphone	3.5mm earphone + microphone	3.5mm earphone + microphone
Audio format	MP3/WMA/AAC	MP3/WMA/AAC	MP3/WMA/AAC

POWER

CPU	Quad Core 1.4 GHz	Quad Core 1.8 GHz	Quad Core 1.8 GHz
RAM	2GB	2GB	2GB
Internal memory	8GB	8GB	8GB
OS	Android	Android	Android
WiFi	802.11b/g/n	802.11b/g/n	802.11b/g/n
Ethernet	100M/1000M ethernet	100M/1000M ethernet	100M/1000M ethernet
Bluetooth	Bluetooth 4.0	Bluetooth 4.0	Bluetooth 4.0
Card slot	SD Card	SD Card	SD Card
USB	USB Host	USB Host	USB Host
Power jack	DC power input	DC power input	DC power input
Adapter	12V / 2A	12V / 2A	12V / 2A

OPERATION

VESA	75x75mm	75x75mm	75x75mm
Speaker	2*1.5W	2*1.5W	2*1.5W
LED light bar	LED light bar	LED light bar	LED light bar
Camera	2.0 MP, front camera	2.0 MP, front camera	2.0 MP, front camera
Operating temperature	0-40 degrees	0-40 degrees	0-40 degrees

CERTIFICATION AND COMPATIBILITY

Certificates	CE/FCC	CE/FCC	CE/FCC
--------------	--------	--------	--------



unisigns



unisigns



unisigns



unisign

www.unisign.com.tr

info@unisign.com.tr



LED BAR LINE

All In One Android Series