



Motorized Screen

Dynamic Series

Motorized Screen

Dynamic Series

Motorized Screens are special products that appeal to VIP users, designed for use in prestigious environments with their stylish aluminum body, decorative appearance and optional multi-touch features. Thanks to its concealable mechanism, the Motorized Screens can be placed on the table when needed and easily closed after use.



Product Features



Ultra Quiet



Aluminum Body



30mm Screen Thickness



Front and Back Glass Protection



Anti-Reflective DisplayBody



Antireflective Glass







178 Viewing Angle



Remote Control



TV Feature



Display Technical Information

Active Screen Dimensions	:	15.6inch diagonal
Outline Dimensions	:	399.5(H) × 230.45(V) × 6.2(D,Max.) [mm]
Pixel Pitch	:	0.17925 (H) x 0.17025 (V) mm
Pixel Format	:	1920(H)×1080 (V). Piksel RGB
Color Depth	:	6-bit, 262,144 colors
Brightness, White	:	300 cd/m2
Power Consumption	:	Total (6.01)W (Max.) @ cell (1.25)W (Max.), BL (4.76)W (Max.)
Screen Operating Mode	:	AH-IPS, Normal Black
Surface Treatment	:	Anti Glare (prevents screen reflection)

Elevator Technical Information


Operating Voltage	:	AC 220V 50Hz
Power Consumption	:	<50W
Rise Time	:	16S
Training Angle	:	≤90°
Gross Weight	:	20Kg

Connectivity

HDMI Input	USB input (data, display control)
DVI Input	RS485 Control input, output (1,2,5)
VGA Input	6.9 Antenna (315MHz)
3.5 Stereo Input	Customized button connector
3.5 Stereo Input	Power input (AC 220V 50Hz)

Dynamic Series

Motorized Display DH101-173



Display Technical Information

Active Screen Dimensions	: 17.3inch diagonal
Outline Dimensions	: 399.5(H) × 230.45(V) × 6.2(D,Max.) [mm]
Pixel Pitch	: 0.198.9mm × 0.198.9 mm
Pixel Format	: 1920(H)×1080 (V). Piksel RGB
Color Depth	: 6-bit, 262,144 colors
Brightness, White	: 300 cd/m2
Power Consumption	: Total (6.01)W (Max.) @ cell (1.25)W (Max.), BL (4.76)W (Max.)
Screen Operating Mode	: AH-IPS, Normal Black
Surface Treatment	: Anti Glare (prevents screen reflection)

Elevator Technical Information


Connectivity

Operating Voltage	: AC 220V 50Hz
Power Consumption	: <50W
Rise Time	: 16S
Training Angle	: ≤90°
Gross Weight	: 20Kg


HDMI Input	USB input (data, display control)
DVI Input	RS485 Control input, output (1,2,5)
VGA Input	6.9 Antenna (315MHz)
3.5 Stereo Input	Customized button connector
3.5 Stereo Input	Power input (AC 220V 50Hz)

Dynamic Series

Motorized Display DH101-190



- Gold
- Silver
- Anthracite
- Black



Display Technical Information

Active Screen Dimensions	:	19inch diagonal
Outline Dimensions	:	398.1(H) × 232.8(V) × 6.0(D,Max.) [mm]
Pixel Pitch	:	0.2835mm × 0.2835mm
Pixel Format	:	1440(H) × 900 (V). Pixels RGB
Color Depth	:	16.7m colors
Brightness, White	:	300 cd/m2
Power Consumption	:	Total TBD (Typ.) Logic :TBDW@ Mosaic, B/L : TBDW@ VLED 12V
Screen Operating Mode	:	AH-IPS, Normal Black
Surface Treatment	:	Anti Glare (prevents screen reflection)

Elevator Technical Information

Operating Voltage	:	AC 220V 50Hz
Power Consumption	:	<50W
Rise Time	:	20S
Training Angle	:	≤90°
Gross Weight	:	23Kg

Connectivity

HDMI Input	USB input (data, display control)
DVI Input	RS485 Control input, output (1,2,5)
VGA Input	6.9 Antenna(315MHz)
3.5 Stereo Input	Customized button connector
3.5 Stereo Input	Power input(AC 220V 50Hz)



Application Areas and References



Retail

- Demsa Grup
- Dominos
- Turkcell
- Bursa Kebap Evi



Health

- Florance N.
- Dunya Goz
- Liv Hospital
- Medical Park



Hotels

- Hilton
- Sheraton
- Radisson Blu
- Ciragan Palace



Entertainment

- Ozdilek AVM
- Esas 17 AVM



Education

- Acıbadem Uni.
- Robert Koleji
- Piri Reis Uni.
- Hacettepe Uni.



Public

- National Palaces
- TBMM
- İBB
- PTT Bank



Finance

- Halkbank
- Albaraka Turk
- Kredi Kayıt Burosu
- Turk Eximbank



Corporate

- Borusan
- Ford
- Migros
- Novartis

Our Business
Partners :



LG

PHILIPS

NEC

Panasonic

ASUS



Atatürk mah. Şeref sok. No: 32
34758 Ataşehir / İSTANBUL

www.unisign.com.tr