



OPERATOR MONITORING SCREEN

Railway Series

Operator Monitoring Screen

Railway series screen can connect to NVR system for surveillance application and provide real time video monitoring to ensure passengers' safety. It can deliver real-time information from the surveillance system to the operator screen. Through our Railway series, Passenger Information System can instantly display information on operator screen. Therefore, our railway solution can easily fit your future demands.



Product Features




Touch Technology



EN50155 Certified



24/7 Working



Multi Screen Display




Made in Turkey



Adaptive Brightness

SA104EA



Display Technical Information

Panel Size	: 10.4"
Panel Type	: LCD
Application	: Indoor
Resolution	: 1366x768 px
Brightness (Typ.)	: 350-400 nits
Viewing Angle (H x V)	: 178 (V)- 178 (H)
Response Time	: 8 ms
Touch Technology	: Pcap
Button Control	: 27 buttons

Dimensions

Vesa Mount	7.5 x 7.5 cm
Product Size(mm)	325x255x44
Product Weight(kg)	2 kg
Package Weight(kg)	3 kg

Certificates & Tests

EN50155 Certificate

Connectivity

Video Input	: VGA,DVI
Video Output	: N/A
Audio Input / Output	: N/A
USB	: Special connector

Power

Power Type	: 9-36V DC
Power Requirement	: AC 100 - 240 V~ (+/- 10 %), 50/60 Hz
Power Consumption	: 18 W
Standby Mode	: <0,5W

Operations

Operation Life	: 50.000 hours
Working Conditions	: Operation Temp 0~ 60 °C Storage Temp -20~60 °C
Humidity	: 10 ~ 80%

Optional Accessories

Glass Protector, Color and Logo Branding
--

unisign / DISPLAY
TECHNOLOGY



unisigns



unisigns



unisigns



unisign

www.unisign.com.tr
hello@unisign.com.tr



Operator Monitoring Screen