





OUTDOOR

BATTERY TOTEM

Elegance Series



Portable Solution for Outdoors

Outdoor Battery Totem is built to survive the elements, with an IP65-rated outer case that protects them from all types of rainy conditions and dust particles. Our Totem is designed for harsh conditions.

Free Standing Display

With this creative portable digital signage solution, you'll stand out from the crowd. You no longer need a mains socket to send your digital messages, which opens up a whole new world of possibilities.

Plug and Play

The Battery Totem has an integrated HD media player that you can upgrade with a USB memory stick. Fill a USB memory stick with your photos and videos, then insert it into the display, which will copy the data to its internal flash memory. When you take out the memory stick, the screen will begin showing the photographs and movies in a loop.

Power Via Mains Plug

The Battery Totem can be powered via mains electricity supply by connecing the charging cable to wall socket.

Optional Network Upgrade

You can upgrade your screen remotely through WI-FI, LAN or 4G and this gives you the flexibility to work and control your device anywhere in the world.

High Brightness

Outdoor Battery Totem is the ideal combination of brightness and battery longevity. The screen is easily visible in outdoor spaces thanks to a high-brightness panel combined with Lithium-lon Battery providing a 12 hours of display time without sacrificing the quality and brightness of the images.

Commercial Grade Panel and Components

With a commercial-grade panel having a 70,000-hour lifespan and high-quality components, the high-brightness Battery Totem may be used continuously 24 hours a day and seven days a week.

Battery Powered Display

The integrated lithium-polymer battery transforms the way digital signage is used. This slimline battery solution is commercial grade and provides over 12 hours of run time.

Integrated Castors

The Battery Totem is fully portable with fixed castors that may be simply moved by one person. Once the Totem is in place, these wheels can be secured to prevent it from moving.

Multiple Inputs

If you need to utilize the screen as a monitor, you can use the HDMI input or the VGA and 3.5mm audio jack inputs to link it to an external source, such as a PC or media player.



Interact with Digital Signage Displays with battery technology that you can easily position in any environment!







Battery Powered Display



Plug and Play



Ambient Light Sensor



Full High Definition 1080p



24/7 Usage



Portable Solution



Stylish Design



Network Upgrade Available



PANFI	TO430XA-BT	TO490XA-BT

Panel Size 43" 49" Panel Type 60Hz ELED 60Hz ELED Aspect Ratio 16:9 16:9 1920*1080 1920*1080 Resolution Brightness (Typ.) 1500 cd/m² 1500 cd/m² Contrast 5000:1 (Typ.) (TM) 5000:1 (Typ.) (TM) Viewing Angle 178° 178°

Horizontal / Vertical

Horizontal / Vertical

16.7M

Colour 16.7M

AUDIO

Applications

Speaker Type 5W, 8Ω (x2) 5W, 8Ω (x2)

BATTERY

Battery Technology	Integrated lithium polymer	Integrated lithium polymer
Charging Time	7 hours	7 hours
Battery Life	12 hours	12 hours
Power Supply	29.4V - 21V	29.4V - 21V
Power Consumption	120W	126W

MECHANICAL

Unit Size (WxHxD mm)	1235 x 605 x 480	1250 x 615 x 550
Package Size (WxHxD mm)	1325x750x655	1400x825x67510
Net Weight (kg)	37,5	42
Gross Weight (kg)	43	50

ENVIRONMENTAL

Operating Temperature	0 °C to 50 °C	0 °C to 50 °C
Storage Temperature	-30°C to 60°C	-30°C to 60°C42
Operating Humidity	10% to 80%	10% to 80%
Storage Humidity	5% to 95%	5% to 95%

CERTIFICATION AND COMPATIBILITY

Safety	EN60950-1	EN60950-1
EMC	Class A	Class A
Environment	FNFRGY STAR 6.0 (USA)	FNFRGY STAR 6.0 (USA)

OPTIONAL ACCESSORIES

Barcode, NFC, RFID, Beacon, Bluetooth, Camera, Pin, Industrial keyboard, Receipt printer, Audio system, Glass protector, Mirror protector, Glass logo, Colorful glass

OTHER

Included in pack

Easy installation guide, Warranty document, Power cable,

(Other accessories externally)











www.unisign.com.tr hello@unisign.com.tr



OUTDOOR BATTERY TOTEM