



# PM 501-M

Digital Lectern Solutions

Create impressive space for all target audience

Presenter

# Fluent and Easy Presentation

Digital Lectern is a professional product designed for corporate communications. All kinds of meetings and conference programs can be managed using a single device or the lectern screen itself. Digital Lectern allows you a professional level speech/presentation in conference halls, educational institutions, promotions and all environments where an audience is addressed.



Network  
Management



Easy-to-use



Touch  
Technology

## Rich Optional Features

As well as, built-in sound systems such as amplifier, mixer, speaker, microphone; controller, control panel, reading lamp, cup holder, card reader etc. functional tools can be applied.



## Management Through Network

You can easily manage the projection, computer, sound system and automation system in the environment and control it with the help of a network via digital lecterns, and you can increase your stage dominance.

## Powerful and Stylish Design

Digital lecterns which have designed to provide you with the most comfortable and safe use in classroom environments and presentations; can have front screen with protection glass, a locked cabin, slip-on top protection cover and hidden LED lighting features, according to its model.

## Logo Application and Color Options

Screens that allow you to highlight your corporate identity with unique color and logo studies; help you strengthen your brand image and enhance your retention.

# Manage the environment with Digital Lectern!

Unisign Digital Kiosk Solutions can be developed both with standard hardware as well as with various additional features. While improving the user experience, it centralizes control and allows you to command the environment where the presentation is made.



## Functional Digital Lectern Packages

### Basic

- Projection Control
- Curtain Control
- Volume Control
- Capacitive Keypad
- Automation Panel
- Video Switching

### Middle

- Projection Control
- Curtain Control
- Volume Control
- Capacitive Keypads
- Automation Panel
- Video Switching
- Lectern Microphone
- Mixer
- Amp

### Plus

- Projection Control
- Curtain Control
- Volume Control
- 7" Touch Screen
- Automation Panel
- Video Switching
- Lectern Microphone
- Wireless Microphone
- Mixer
- Amp

### Lecturer Features

#### SCREEN

|                        |                       |
|------------------------|-----------------------|
| Panel Size             | 21,5"                 |
| Panel Type             | Industrial            |
| Resolution             | 1920 x 1080 (Full HD) |
| Brightness             | 350 nit               |
| Viewing Angle (H x V)  | 178° x 178°           |
| Response Time (G-to-G) | 8 ms                  |
| Processor Features     | intel i/3             |
| Touch Feature          | Capacitive Touch      |

### Audience Features

#### SCREEN

|                             |                                       |
|-----------------------------|---------------------------------------|
| Panel Size                  | 43"                                   |
| Resolution                  | 1920 x 1080 (Full HD)                 |
| Aspect Ratio                | 16:9                                  |
| Panel Type                  | IPS                                   |
| Player PC                   | Built-in Digital Signage Media Player |
| Content Management Software | Optional Cloud Services               |

### General Features

#### INPUTS (BOTTOM OF LECTERNS)

|       |           |
|-------|-----------|
| Power | Available |
| Data  | Available |
| USB   | Available |

#### OUTPUTS (BOTTOM OF LECTERNS)

|             |              |
|-------------|--------------|
| HDMI        | Available x2 |
| VGA         | Available    |
| Audio       | Available    |
| LAN Control | Available    |
| HD BaseT    | Available    |

#### MECHANICAL SPECIFICATIONS

|                         |                  |
|-------------------------|------------------|
| Outline Dimensions (mm) | 660 x 710 x 1220 |
| Weight                  | 65 kg.           |
| Package Dimensions      | 750 x 750 x 1350 |
| Package Weight          | 75 kg.           |

### Color & Packaging

#### Color

|       |                              |
|-------|------------------------------|
| Color | White, Grey, Black, Optional |
|-------|------------------------------|

#### Packing

|         |                           |
|---------|---------------------------|
| Packing | Wooden box export packing |
|---------|---------------------------|

#### POWER

|                   |             |
|-------------------|-------------|
| Power Input       | 220 V 50 Hz |
| Power Consumption | 700 W (max) |

#### OPERATION

|                   |                       |
|-------------------|-----------------------|
| Working Period    | 7 / 24 ~ 60.000 Hours |
| Usage Temperature | -20 °C ~ +70 °C       |
| Humidity          | 10 % ~ 100 %          |

#### RICH OPTIONAL FEATURES

Built-in sound systems , Amplifier, Mixer , Speaker , Microphone, Controller, Control panel, Reading lamp, Cup holder, Card reader

### Usage Areas



Retail



Hotels



Health Care



Entertainment



Public



Finance



Education



Corporate



digital signage & display solutions



unisignds



unisignds



unisignds



unisign

[www.unisign.com.tr](http://www.unisign.com.tr)

[info@unisign.com.tr](mailto:info@unisign.com.tr)



# PM 501-M

Digital Lectern Solutions