


Pendant PC

Medical Series

Create impressive space for all target audiance

Meet the Pendant Pc Product That Makes Healthcare Personnel's Life Easier!

Our Unisign Pendant Computer solution facilitates the life of healthcare professionals working in narrow spaces, especially in blood collection cabins, thanks to its lightweight, compact structure that can easily move in any direction and does not take up space, suitable for medical use.



Pendant computers are ergonomic and user-friendly products that are preferred for easy and fast access to information with their stylish appearance and functionality.

High Brightness and Vibrant Colors

High brightness value in the range of 250 nit to attract more attention to your contents and clear view from every point.

Optional Touch Technology

The most popular interactive applications durable and reliable touch technology for ease of use.

Built in Wi-Fi

As well as having an Ethernet and LAN ports you can wirelessly connect to the internet thanks to the built in Wi-Fi.



Front Protection Glass

It is manufactured from glass that is reinforced by chemical processes and is resistant to very high piercing. Provides additional protection against physical impact during use.



Branding and Color Applications

Provides you to highlight your corporate identity with unique color and logo application.

Long Life Industrial Display

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

MP101EP-SP	MP116EP-SP	MP133EP-SP	MP156EP-SP
10.1"	11.6"	13.3"	15.6"
LED	LED	LED	LED
1280x800	1280x800	1280x800	1280x800
250 cd/m ²	250 cd/m²	250 cd/m ²	250 cd/m ²
700:1	700:1	700:1	700:1
160°/160° H/V	160°/160° H/V	160°/160° H/V	160°/160° H/V
8 ms	8 ms	8 ms	8 ms
Oval	Oval	Oval	Oval
Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical	Horizontal/Vertical
	10.1" LED 1280x800 250 cd/m² 700:1 160°/160° H/V 8 ms Oval	10.1" 11.6" LED 1280x800 1280x800 250 cd/m² 250 cd/m² 700:1 700:1 160°/160° H/V 8 ms 8 ms Oval Oval	10.1" 11.6" 13.3" LED LED LED 1280x800 1280x800 1280x800 250 cd/m² 250 cd/m² 250 cd/m² 700:1 700:1 700:1 160°/160° H/V 160°/160° H/V 160°/160° H/V 8 ms 8 ms 8 ms Oval Oval Oval

PANEL CONNECTIVITY

Serial Port	3x RS232	3x RS232	3x RS232	3x RS232	
Parallel Port	N/A	N/A	N/A	N/A	
USB Port	4xUSB2.0	4xUSB2.0	4xUSB2.0	4xUSB2.0	
LAN-Wifi	1xGBit - 802.11 b / g				
Line In / Out	AC'97 codec audio	AC'97 codec audio	AC'97 codec audio	AC'97 codec audio	
Video Out	HDMI - 1920x1080	HDMI - 1920x1080	HDMI - 1920x1080	HDMI - 1920x1080	
SSD	16-32GB	16-32GB	16-32GB	16-32GB	

POWER

Power Input	110 / 220VAC - 12 / 24VDC or PoE	110 / 220VAC - 12 / 24VDC or PoE	110 / 220VAC - 12 / 24VDC or PoE	110 / 220VAC - 12 / 24VDC or PoE
-------------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

OPERATION

Operation Life	7/24 - 50.000 hours	7/24 - 50.000 hours	7/24 - 50.000 hours	7/24 - 50.000 hours	1
Working Condition	Operation Temp.:0~ 40 °C ; Storage Temp.:-20~60 °C	Operation Temp.:0~ 40 °C ; Storage Temp.:-20~60 °C	Operation Temp.:0~ 40 °C ; Storage Temp.:-20~60 °C	Operation Temp.:0~ 40 °C ; Storage Temp.:-20~60 °C	ı
Humidity	10 ~ 80%	10 ~ 80%	10 ~ 80%	10 ~ 80%	1
Processor	Intel® Celeron® N2930	Intel® Celeron® N2930	Intel® Celeron® N2930	Intel® Celeron® N2930	
Memory	1xDDR4 4/8GB	1xDDR4 4/8GB	1xDDR4 4/8GB	1xDDR4 4/8GB	
OS	Windows Embedded Compact 7, Windows Embedded Standard 7, windows Pro(FES), Windows 7 Ultimate(FES), Windows 8 Standard, Windows Embedded 8.1 Industry Pro, Windows IoT Enterprice			Windows Embedded Compact 7, Windows Embedded Standard 7, windows Pro(FES), Windows 7 Ultimate(FES), Windows 8 Standard, Windows Embedded 8.1 Industry Pro, Windows IoT Enterprice	

OTHER

ı	Included in Pocket	Pendant Arm, Barcode Reader, Printer Desk
	included in 1 ocket	I endant Ann, barcode Reader, i finter besk









www.unisign.com.tr info@unisign.com.tr

