



TRANSPARENT BOX

Create impressive space for all target audience

The All-in-One Transparent Box Display

The transparent display is designed to let your products do the storytelling. Lightweight structure is not only flexible for display allocation but also ideal for showcasing exquisite high-end luxuries.



Infrared
Technology



Horizontal /
Vertical Usage



High
Brightness



Vivid
Colors



Energy
Efficient



24 / 7



Your customers can clearly view products through the highly transparent box while interacting with the vivid digital information on the outside screen. Plus the built-in speakers, plug-and-play capability, and multimedia connectivity, there is no need for PC purchasing, complex setting and cable hassles. On switching on, you can soon have the product story told in a captivating tone.

Showcase Your Products with Innovation

Attract more with our innovative transparent displays, combining an interactive screen effect through the merchandise display and image information. These can be ideal to highlight your exquisite products in season to effectively boost the sales.



Available in Various Sizes



Unisign offers transparent box display in dimensions of from 32" to 55", giving you great convenience to instantly showcase your star products at diverse occasions like museums, exhibitions, and boutique window decorations with the captivating motion graphics played on the outside screen.

Touchscreen

Create instant interactive experiences and produce fast on-the-spot sales with the infrared touchscreen sensors. You can easily broadcast web pages, applications and schedule your advertising strategies. The IR Touchscreen option is included in all Transparent Display Box models.



PANEL	TS101-320	TS101-490	TS101550
Active Screen Size	32"	49"	55"
Resolution	1920x1080 (FHD)	1920x1080 (FHD)	1920x1080 (FHD)
Brightness	165 nit	165 nits	400 nits
Transparency	0.15	0.15	0.15
Response Time	5 ms	5 ms	5 ms
Protection Glass	Yes	Yes	Yes
Contrast Rate	100.000:1	100.000:1	100.000:1
Viewing Angle (HxV)	178:178	178:178	178:178
Indoor / Outdoor	Indoor	Indoor	Indoor

CONNECTIVITY			
Connection Input	VGA, USB, HDMI and DVI	VGA, USB, HDMI and DVI	HDMI, DP, USB (2)
Control	Keypad, IR Remote	Keypad, IR Remote	Keypad, IR Remote

POWER			
Power Consumption	Off Mode: less then 1W On Mode: max. 115.5W; avr. 105W Sleep Mode: less then 3W	Off Mode: less then 1W On Mode: max. 115.5W; avr. 105W Sleep Mode: less then 3W	Off Mode: less then 1W On Mode: max. 115.5W; avr. 105W Sleep Mode: less then 3W

POWER			
Working Hour	7/24	7/24	7/24
Storage Temperature	-20 C to 65 C	-20 C to 65 C	-20 C to 65 C
Usage Temperature	0.0 C ~ 40.0 C	0.0 C ~ 40.0 C	0.0 C ~ 40.0 C

ACCESSORIES			
	Power Cable, Remote Control, Keys		

USAGE AREA



RETAIL



ENTERTAINMENT



HOTELS



SHOPPING MALL



unisigns



unisigns



unisigns



unisign

www.unisign.com.tr

info@unisign.com.tr



TRANSPARENT DISPLAY
