
43 / 55" Flip Model Indoor Digital Totem

Designed to stand out. Ready to move.

An Android digital totem combining a freestanding A-frame design, bright portrait visuals and flexible content delivery for indoor environments.





700–800 nits	FHD / 4K	Kiosk mode	Android	2 sizes
By size	Resolution	Supported	Integrated	Compare variants

Choose the size, computing configuration and project options around your space and content.

Bright communication. Flexible positioning.





An Android platform for visible communication

Choose 43" Full HD at 700 nits or 55" 4K UHD at 800 nits. The Flip series combines integrated Android computing with an A-frame structure for retail, hospitality and corporate spaces.

Integrated Android computing

Rockchip RK3568, Android 13, 2 GB RAM and 16 GB storage provide an integrated media platform.

Two distinct display options

43": 1920 × 1080, 700 nits. 55": 3840 × 2160, 800 nits. Specifications are listed separately for each size.

Connected content delivery

Wi-Fi, Ethernet, Bluetooth 4.1, SD card, HDMI output, dual USB 3.0 and 3.5 mm audio support flexible workflows.

Freestanding A-frame design

A rear support and wide base create a distinctive floor-standing format. Allow for the full base depth when planning the location.

Retail **Hotels** **Corporate** **Exhibitions**

unisign / Display Technology

Technical clarity for confident deployment.

TFLA430HN | 43" Indoor Digital Totem

Display & Application

Panel	43" TFT LCD
Resolution	1920 × 1080
Brightness	700 nits
Active area	940.89 × 529.25 mm
Contrast	1200:1 typ.
Response time	8 ms (G-to-G)
Viewing angle	89/89/89/89 (L/R/U/D)
Aspect ratio	16:9
Touch option	Not specified
Orientation	Portrait
Application	Indoor

System, Network & I/O

Processor	Rockchip RK3568
RAM	2GB
Internal storage	16GB
Operating system	Android 13
Wi-Fi	802.11 b/g/n/ac
Ethernet	10/100M LAN, managed
Bluetooth	Bluetooth 4.1
Card slot	SD card
HDMI	HDMI Out
USB	2 × USB 3.0
Audio	3.5 mm audio + microphone

Media & Functions

Video	MPEG-1/2/4, H.263/264, VC1, RV; up to 4K
Audio	MP3 / WMA / AAC
Images	JPEG / BMP
Language	Multi-language
Kiosk mode	Supported

Mechanical & Environment

Dimensions	1625 × 590 × 585 mm
Packaging	1700 × 700 × 250 mm
Net weight	35 kg
Packed weight	40 kg
Speaker	Optional

Built for more than one deployment model


Multi-format media · **Kiosk mode** · **Flexible I/O**

Let us define the right size and configuration for your project.


Engineering dimensions for installation.

TFLA430HN | Schematic front and side views based on published data.

FRONT VIEW



SIDE / BODY VIEW



Schematic views; no fixing-hole or base-depth specification.


OVERALL WIDTH
590 mm

OVERALL HEIGHT
1625 mm

BASE DEPTH
585 mm

INSTALLATION
Floor-standing





Installation planning

Published dimensions

Height, width and body depth follow the model table. Base depth is only published for Flip.

Drawing scope

Schematic only. Fixing holes, tolerances and unpublished base details need an approved production drawing.

Let us define the right mounting and system configuration for your project.

unisign / Display Technology

Technical clarity for confident deployment.

TFLA550HD | 55" Indoor Digital Totem

Display & Application

Panel	55" TFT LCD
Resolution	3840 × 2160
Brightness	800 nits
Active area	1209.60 × 680.4 mm
Contrast	1200:1 typ.
Response time	8 ms (G-to-G)
Viewing angle	89/89/89/89 (L/R/U/D)
Aspect ratio	16:9
Touch option	Not specified
Orientation	Portrait
Application	Indoor

System, Network & I/O

Processor	Rockchip RK3568
RAM	2GB
Internal storage	16GB
Operating system	Android 13
Wi-Fi	802.11 b/g/n/ac
Ethernet	10/100M LAN, managed
Bluetooth	Bluetooth 4.1
Card slot	SD card
HDMI	HDMI Out
USB	2 × USB 3.0
Audio	3.5 mm audio + microphone

Media & Functions

Video	MPEG-1/2/4, H.263/264, VC1, RV; up to 4K
Audio	MP3 / WMA / AAC
Images	JPEG / BMP
Language	Multi-language
Kiosk mode	Supported

Mechanical & Environment

Dimensions	1800 × 750 × 510 mm
Packaging	1900 × 850 × 250 mm
Net weight	45 kg
Packed weight	50 kg
Speaker	Optional

Built for more than one deployment model

Multi-format media · **Kiosk mode** · **Flexible I/O**


Let us define the right size and configuration for your project.

unisign / Display Technology


Engineering dimensions for installation.

TFLA550HD | Schematic front and side views based on published data.

FRONT VIEW



SIDE / BODY VIEW



Schematic views; no fixing-hole or base-depth specification.


OVERALL WIDTH
750 mm

OVERALL HEIGHT
1800 mm

BASE DEPTH
510 mm

INSTALLATION
Floor-standing





Installation planning

Published dimensions

Height, width and body depth follow the model table. Base depth is only published for Flip.

Drawing scope


Schematic only. Fixing holes, tolerances and unpublished base details need an approved production drawing.

Let us define the right mounting and system configuration for your project.

unisign Display Technology

Make the format work for your brand.





Project options for a consistent presentation

The product page lists audio, glass protection, glass logo and coloured glass/frame options. Define the scope for the selected size before ordering.

Audio system

An optional audio system can support content that uses sound. Confirm the required configuration for the project.

Glass protection

Glass protector options are listed on the product page. Confirm the glass specification in the final quotation.

Logo application

A glass logo option allows the physical presentation to be aligned with the brand. Artwork and positioning are project-specific.

Colour and frame

Coloured glass and frame choices are available as project options. Availability should be confirmed for the selected model.

Platform | Interaction | Branding | Configuration