
Rize
Self Order Kiosk

Designed for ordering. Shaped around your brand.

A compact, modular self-service solution for ordering and payment, with 21.5 and 23.8-inch touchscreens, portrait or landscape use, and brand-specific colours.



21.5 / 23.8”
Two screen sizes

Full HD
1080 × 1920

500 / 550 nit
Screen-specific brightness

Android
Optional internal player


350 mm
Compact base

Designed to bring ordering, payment and receipt processes together at one point for restaurants, cafés, quick-service venues and self-service areas.

unisign / Display Technology

Designed to make ordering easier. Built to fit your brand.





A compact, modular self order kiosk for your business

Rize combines two screen sizes, 10-point touch and an 80 mm thermal printer in a compact body. Choose countertop or optional floor-stand installation, with a look tailored to your brand.

Two screens, flexible use

21.5 and 23.8-inch Full HD screens adapt to menu and ordering interfaces in landscape or portrait orientation.

Optional Android platform

An optional internal player with a quad-core CPU, 4 GB RAM and 32 GB storage offers HDMI, USB, Ethernet and Wi-Fi for a configuration suited to your project.

Ordering and receipts in one

10-point PCAP touch and an 80 mm thermal printer support the self-service flow.
The payment terminal and ordering software are configured to suit the project scope.

Modular design for your brand

A 350 × 350 mm base suits countertop or floor-stand use. Colour, logo and modular tray options can be customised to match your brand identity.

Restaurants **Cafés** **Quick service** **Self-service areas**

unisign / Display Technology

Clear technical details for confident installation.

KSMA215MA (21.5”) / KSMA238HA (23.8”) | Rize Self Order

Display and Touch

Panel	21.5” / 23.8” TFT LCD
Resolution	1080 × 1920 / 1920 × 1080
Brightness	500 / 550 cd/m² (typ.)
Active area (mm)	476 × 268 / 527.04 × 296.46
Contrast ratio	1300:1 / 1000:1 (typ.)
Viewing angle	178° × 178°
Response time	14 ms (G-to-G)
Orientation	Landscape / portrait
Touch technology	Projected Capacitive (PCAP)
Touch points	10-point multi-touch
Glass hardness	6H (min.)
Display lifetime	24/7 - 50,000 hours

System, Power and I/O

Internal player	Optional
CPU	Quad-core
RAM / storage	4 GB / 32 GB
Operating system	Android 11
Connectivity	HDMI, USB, Ethernet, Wi-Fi
Power supply	AC 100-240 V~ (±10%) 50/60 Hz
Avg. consumption	32 W / 35 W
Standby mode	< 0.5 W
Thermal printer	80 mm
Audio (optional)	8 Ω, 5 W × 2

Installation and Options

Installation	Countertop / optional stand Shared body and base design
Customisation	Brand colour, logo and finish
Modular design	Tray and accessory placement
In the box	Setup guide, warranty document
Power cable	Included in the package

Mechanical and Environment

Drawing dimensions	Height: 733 / 1493 mm Base: 350 × 350 mm
Packaging (mm)	850 × 500 × 500 (unit) 900 × 500 × 500 (stand)
Weight (kg)	Unit: 13 / 16; packed: 18 / 21 Stand: 23; packed: 27
Temperature	Operating: 0-50 °C Storage: -20-60 °C
Operating humidity	10%-80%

Configured for your ordering experience

Landscape / portrait | **10-point touch** | **Brand colours**


Values are listed for 21.5” / 23.8” respectively. Stand and internal player are optional.

unisign / Display Technology


Installation-ready engineering dimensions.

Shared body and base design. Dimensions for countertop and floor-stand installation.


COUNTERTOP + BASE



FLOOR-STAND UNIT



BASE WIDTH	COUNTERTOP HEIGHT	BASE DEPTH	FLOOR-STAND HEIGHT
350 mm	733 mm	350 mm	1493 mm



Ready to install

Compact, shared base

A 350 × 350 mm base supports countertop use or floor installation with the optional stand.

A look for your brand

Landscape/portrait screen, colour, logo and modular tray options.

Let’s plan the right Rize Self Order configuration for your business.